

( )  
INTERSTATE COUNCIL FOR STANDARDIZATION, METROLOGY AND CERTIFICATION  
(ISC)

**24866**  
**2014**

( E N 1279-1:2004, NEQ)  
(EN 1279-2:2002, NEQ)  
(EN 1279-3:2002, NEQ)  
(EN 1279-4:2002, NEQ)  
(EN 1279-6:2002, NEQ)

1.0—92 «  
 1.2—2009 «  
 1 « ( 41 « »)  
 2 ( -  
 3  
 ( 20 2014 . 71 - )

KpatKoe < 3166) 004-97	< 3166) 004—97	
	BY KG RU TJ UZ	

4 15  
 2015 . No 362- 24866—2014  
 1 2016 .

5 8

- EN 1279-1:2004 Glass in building — Insulating glass units — Part 1: Generalities, dimensional tolerances and rules for the system description ( 1. );
  - EN 1279-2:2002 Glass in building — Insulating glass units —Part 2: Long term test method and requirements for moisture penetration ( 2. );
  - EN 1279-3:2002 Glass in building — Insulating glass units — Part 3: Long term test method and requirements for gas leakage rate and for gas concentration tolerances ( 3. );
  - EN 1279-4:2002 Glass in building — Insulating glass units — Part 4: Method of test for the physical attributes of edge seals ( 4. );
  - EN 1279-6:2002 Glass in building — Insulating glass units — Part 6: Factory production control and periodic tests ( 6. ).
- (NEQ)

6 54175—2010.  
 15 2015 . N9 362-  
 54175—2010 1 2016 .

7 24866—99

“ “ ”. — ( ) -  
“ ”. — , -

€

. 2015

1	.....	1
2	.....	1
3	.....	2
4	, / .....	3
5	.....	7
5.1	.....	7
5.2	.....	8
5.3	, .....	9
5.4	.....	10
5.5	.....	10
6	.....	10
7	.....	11
7.1	.....	11
7.2	( ) .....	11
7.3	.....	11
7.4	.....	11
7.5	.....	12
7.6	.....	12
7.7	.....	12
7.8	.....	12
7.9	.....	12
7.10	.....	12
7.11	.....	13
7.12	.....	16
7.13	.....	16
7.14	.....	16
7.15	.....	16
7.16	.....	17
7.17	.....	17
7.18	.....	17
8	.....	17
9	, , .....	17
10	.....	19
	( ) .....	20
	( ) .....	22

insulating glass units. Specifications

— 2016—04—01

1

( — ), -  
:  
, , .  
, , .  
( ).

2

:  
12 0.004—90 . -  
12.1.004—91 . .  
12.3.009—76 . - .  
111—2014 .  
577—68 0.01 .  
2768—84 .  
5533—2013 .  
6709—72 .  
7481—2013 .  
9805—84 .  
12162—77 .  
24104—2001\*1 .  
25336—82 . ,  
26302—93 .

1)

53288—2009.



3.6

( )

4.14

3.7

3.8

4


4.1  
32998.6

4.2

— — ;  
— —

( )

1.



f — ; 2 —

3 —

4 —

( ): 5 —

): 7 —

h<sub>c</sub> —

; NT, N2, N3, N4, N5, N6 —

1 —

( , ) ;

4.3

· ( ) ;  
 · , 11.  
 ( )

(5.1.1 — 5.1.3,5.1.5.5.1.6—5.1.12)

4.4

1—

		( , )
	111	0. 1
	5533	
	7481	
-	30826	1 . 2 . . . 4 . 5
		6 . 78. 8
		1-
		SB7-SB7. EXV45- EXV10
		1. 2. . 4
	32997	. 1
	30826	15 — 120. EW15 — EW120. 5 — EI120
		—
·	30698	3
-	33017	.
	33086	.
·	33017	.
	33086	-
-	30733	
	31364	

4.5 — ±1,5 . : — ±1.0 .  
 ( ) 14 60 . -  
 ( ) 8 36 . — 6 36 .  
 ( )  
 8 , , -  
 ±1.5 . — ±2.0 . :  
 4.6 ( ) .  
 6000 3210 .  
 300\* 300 . -  
 3:1 ( : , . ) -  
 4.7 , 2. ( ) -  
 ) 1,0 . -  
 . -  
 2— ( ) .

( )		
2000 . 2000 3000 » 3000	12.0 ±3.0 ±4.0	*3.0 ±4.0 *5.0

4.8 , 3.  
 3—

1S00 . 1500 2500 » * 2S00	3 4 5

4.9 , 0.001

111. , ( -  
 0.001 , ) .


4.10 , 2.

4.11

4.12

9

2.



D —

: E —

2 —

4.13

4.14

16

4 1-16 -4 1 24866—2014

— 4 1-16 1;

12

4M1-12-4MU12-4M1 24866—2014

— 4 1-12-4 1-12-4 1;

8

6

12

12

1

4

4 . , -  
:

8( ) 12 -6 -12 -4.4 .2 24866—2014  
—8( ) -12 -6 1 -12 -4.4 .2.

( ) .

**5**

**5.1**

**5.1.1**

**5.1.2**

**5.1.3**

**5.1.4**

**5.1.4.1**

).

**5.1.4.2**

**5.1.4.3**

**5.1.5**

**5.1.6**

**5.1.6.1**

30 %)

30

**5.1.6.2**

60°

**5.1.7**

**5.1.8**

**5.1.9**

**5.1.10**

**5.1.11**

5.1.12

5.2



5.2.1

5.2.2

( ) .

( )

3.



)

:

( )

6)

:

— )

3—

( )

5.2.3

( ) ,

0.3

35

50 %

5.2.4

)( ( ) .

32998.6

32998.4

5.2.5

5.2.6

( 3 )

-10 (

).

5.2.7

( ) ,

50 %.

25 % . 8

5.2.8

5.3

5.3.1

8

32530.

8

5.3.2

— 32530.

5.3.3

32530.

5.3.4

5.4

5.4.1

5.4.2

12.1.004.

5.4.3

5.4.4

12.0.004.

5.4.5

12.3.009.

5.4.6

5.5

5.5.1

5.5.2

5.5.3

5.5.4

5.5.5

5.5.6

5.5.7

5.5.8

5.5.9

6

6.1

4.

32529

4

	4.5	7.3
( )	4.7	7.2
	4.8	7.6
	4.9	7.4

4

	4.10	7.5
	5.1.1—5.1.3	7.7
	4.12.5.1.4	7.9
	5.1.5	7.10
	5.1.6	7.8
	5.1.7	7.11
	5.1.8	7.12
	5.1.9	7.13
	5.1.10	7.15
	5.1.11	7.17
	5.1.12	7.16
	5.2.3	7.14
	5.3.1	7.18

6.2

7

7.1

(20 ± 5) ° .

( )

7.2

( )

7.2.1

( )

32557

( 9).

7.2.2

)

4.7.

7.3

7.3.1

32557 ( 8).

7.3.2

4.5

7.4


7.4.1

32557 ( -

11).

7.4.2





t— ;2— .3— .4— t .S— ;  
 — :7—

4—

.) 7 (50 ± 5) 5 2—3 . 2 ( , 4

L - 0.002 . — L. 1 4. 3

7 4

3—4

(15 ± 1)

0.02

6 180

7.10.5

0.02

7.10.6

7.11

7.11.1


( )

7.11.2


500 500

7.11.3

5 6.



t— .2— .3— .4— .5—  
5—



1— .2— .3— .4—  
5— .d— .7— .8—

6—

• 28498 2° -  
 , ( );  
 - 12162 -  
 ;  
 • 9805;  
 • 2768;  
 • ;  
 • 12 .  
 7.11.4  
 7.11.4.1

100 -  
 ,  
 -  
 (50±3) ° (60 ±3) —  
 ,  
 5.

5—

.5 10 • S 10	4 6 10

( ) ,  
 7.11.4.2  
 5. , ,  
 6. ,  
 5. -  
 30 .  
 10 .  
 (60 ± 3) — (50 ± 3) °  
 100 -  
 , -  
 , -  
 5.  
 ( ) ,



7.16

7.16.1

EN 410

-

26302

7.17

7.17.1

EN 675.

7.18

7.18.1

32530 ( 4).

8

8.1

32530

:

-

(

)

8.2

8.3

9

9.1

32998.6.

9.2

(16 — 24 \* ).

—

80 %.

—

9.3

(

),

9.4

(

),

(

)



(  
.)

50 %.

9.17

-

•

-

•

-

•

•

9.18

( )

9.19

( , . )

(

.)

9.20

),

(

9.21

( )

9.22

(

)

9.23

0.2

9.24

0.3

9.25

.)

( -

10

10.1

10.2

10.3

( )

( )

.1

.2

.2.1

• ( ( . .2.3). ) ( . .2.2):

.2.2

1)

2)

3)

32998.6.

( ).

• ( , « 3 »).

.2.3

1)

• ( . )

2)

• .2.3. 1).

3)




( )

.1

.2

500 \* 500

.1.



1— ; 2— ; 3— ; 4—

.1 —

26498

2 \*

.4

(24 11)

(2313)\*

.1.

40

400

.5

**666.157:006.354**

**81.040.30**

**NEQ**

: , , , , , ,

CJJ.

16.06.2016. 01.07.2016. 60>64  
3.26- 2.75. 32 2265  
123996 < ». | \*.4.  
» [wwgosbnfo.ru](http://wwgosbnfo.ru) [info@go3linfa.ru](mailto:info@go3linfa.ru)